

DIRECT4x4

Peugeot 3008 2017 Onwards (After Market) Side Step Fitting Guide

1: Parts List


Part Name	Quantity
Side Steps	2
Front Brackets	2
Middle Brackets	2
Rear Brackets	2
Large T-Bolt	4
Small T-Bolt	2
Bolts	4
Washers	10
Spring Washers	10
Nuts	10



Please ensure that you have received all of the components listed above before fitting. If you believe there is anything missing, contact us for assistance.

2: Fitting the Brackets (FRONT)

First Remove the grommet in the sill, place the flat plate at the front of the bracket in front of the sill then using one of the straight bolts secure in place.



For the front bracket first remove the grommet nearest to the sill (this is a large plastic fitting that unscrews to leave a hole in the chassis). There are two grommets that are located on each side close to the front of the vehicle then use the large T-bolt to slot into the hole and tighten.

3: Fitting the Brackets (MIDDLE)

Middle brackets are provided with the kit ,however depending on the model these are not always necessary to put on as the front and rear brackets secure the boards solidly in place.

4: Fitting the Brackets (REAR)

On the fitting of the rear bracket remove the bung in the sill then place one of the straight bolts in through the sill with the plate on the bracket closest to the boards.



Remove the sticky cover on the chassis at the rear of the vehicle this just peels off to reveal a large hole place the large T-bolt into the hole and then tighten.

General Care & Maintenance

!IMPORTANT!

We strongly advise you check under the car at several intervals after the initial fitting to ensure safety. After 7 days, check and tighten any bolts and we recommend inspecting the bolts, brackets and boards at least once every 6 months.

Cleaning Information

You can use most cleaning on these side steps. However, we strongly advise against using petrol based solutions or corrosive cleaning solutions which include TFR (Traffic Film Remover) or similar chemicals (brake strippers etc.) These will tarnish and possibly even corrode parts of the steps.

When cleaning underneath the side steps, be mindful of any protruding bolts or sharp edges, especially at the ends of the boards.

To increase the lifespan of your new side steps, we recommend occasionally cleaning the actual brackets.